



**INNOVATIVE.
TECHNOLOGIEN.
ÜBERZEUGEN.**



FRÄSEN

MARKE	TYP	VERFAHRWEG (mm)
GF	Mikron HPM 450 U / 5-Achsen	600 x 450 x 450
GF	Mikron P 800 / 5-Achsen	800 x 800 x 550
Syntak	MRU 32 / 5-Achsen	700 x 600 x 500
DMG	DMU 50e / 5-Achsen	500 x 350 x 350
DMG	DMU 50 evo / 5-Achsen	500 x 420 x 380
DMG	DMU 60 evo / 5-Achsen	650 x 500 x 500
DMG	DMU 80P / 5-Achsen	800 x 800 x 800
Toyoda	FH 450S	630 x 750 x 700
Toyoda	FH 45S	630 x 750 x 700
Rema Control	Newton Big / 5-Achsen	800 x 400 x 6000
Rema Control	Newton Big	800 x 400 x 2500
Haas	Super VF-3 / 4-Achsen	1016 x 508 x 635
Haas	Super VF-3SS / 4-Achsen	1016 x 508 x 635
Haas	VF-6SS / 4-Achsen	1626 x 813 x 762
Haas	Super VF-6Z / 4-Achsen	1626 x 813 x 762
KIA	VX-500	1060 x 480 x 630

DREHEN

MARKE	TYP	DURCHMESSER
Nakamura	NTJ100	Ø 50 (Stange)
Nakamura	NTY3 100	Ø 42 (Stange)
Nakamura	NTY3 150	Ø 65 (Stange)
Nakamura	NTY3 250	Ø 70 (Stange)
Nakamura	Super NTJ	Ø 65 (Stange)
Nakamura	WT100	Ø 42
Doosan	Puma MX2100LST	Ø 60 (Stange)
Hwacheon	Mega-72	Ø 60
Hyundai	Wia L400MC	Ø 90
Geminis	GHT5	-
DMG	CTX 410 V6, Futter	Ø 65
DMG	CTX 410 V6, Zange	Ø 65

DREHFRÄSEN

MARKE	TYP	WERKSTÜCK (mm)
Nakamura	Super NTX30	Ø 70-390 (Stange-Futter) Länge 1100
Nakamura	Super NTX30	Ø 70-390 (Stange-Futter) Länge 1100
Nakamura	Super NTJX	Ø 65-245 (Stange-Futter)
DMG	CTX Gamma 200TC	Ø 630 x 2050

PROTOTYPENBAU

MARKE	TYP	VERFAHRWEG (mm)
KIA	VX-500	1060 x 480 x 630
Nakamura	SC250	177 / 41 / 550 / 360°
Romi	M420	220 * 1000
Weiler	Praktikant	185 * 750
Deckel	FP4M	485 X 385 X 380

DRAHTERODIEREN

MARKE	TYP	VERFAHRWEG (mm)
Agie Charmilles	CUT E 350	350 x 250 x 250

ADDITIVE FERTIGUNG

MARKE	TYP	VERFAHRWEG (mm)
EOS	M 290	250 X 250 X 325

MESSTECHNIK

MARKE	TYP	VERFAHRWEG (mm)
Mitutoyo	Apex S	900 x 2000 x 800
Mitutoyo	Apex S	900 x 1600 x 800
Mitutoyo	Euro Apex C	700 x 1000 x 600
Hexagon	DEA Global Silver	700 x 1000 x 500



PWB AG | Tiefenackerstrasse 50 | 9450 Altstätten, Switzerland
Tel.: +41 (0)71 757 66 66 | Fax: +41 (0)71 757 66 99 | sales@pwb.ch | www.pwb.ch